


1-2-1-3. Wall Mounted Type S-3650PK3E, S-6010PK3E

unit :mm



①	Refrigerant tubing (liquid tube)	S-3650PK3E : $\phi 6.35$ (flared) S-6010PU3E : $\phi 9.52$ (flared) *1
②	Refrigerant tubing (gas tube)	S-3650PK3E : $\phi 12.7$ (flared) S-6010PK3E(60) : $\phi 15.88$ (flared) *2 S-6010PK3E(71) : $\phi 15.88$ (flared) S-6010PK3E(100) : $\phi 15.88$ (flared)
③	Drain hose	
④	Rear panel	
⑤	Rear panel fixing holes ($\phi 5.3$ holes or as shown in figure "C")	
⑥	Tubing and wiring holes ($\phi 80$)	





*1 When connecting with U-60PZ3E5A, U-71PZ3E5A or U-60PZH3E5, connect the liquid socket tube ($\phi 9.52$ - $\phi 6.35$) to the liquid tubing side indoor unit.

*2 When connecting with U-60PZ3E5A or U-60PZH3E5, connect the gas socket tube ($\phi 15.88$ - $\phi 12.7$) to the gas tubing side indoor unit.

1-2-2-2. PZH3 U-36PZH3E5, U-50PZH3E5, U-60PZH3E5


Unit: mm

①	Mounting hole (4-R6.5), anchor bolt : M10
②	Refrigerant tubing (liquid tube), flared connection (Ø6.35)
③	Refrigerant tubing (gas tube), flared connection (Ø12.7)



1-2-2-3. PZH4 U-71PZH4E5, U-100PZH4E5, U-125PZH4E5, U-140PZH4E5
U-71PZH4E8, U-100PZH4E8, U-125PZH4E8, U-140PZH4E8

Unit: mm



①	Mounting hole (4-R6.5), anchor bolt : M10
②	Refrigerant tubing (liquid tube), flared connection (Ø9.52)
③	Refrigerant tubing (gas tube), flared connection (Ø15.88)
④	Refrigerant tubing port
⑤	Electrical wiring port (Ø13)
⑥	Electrical wiring port (Ø22)
⑦	Electrical wiring port (Ø27)
⑧	Electrical wiring port (Ø35)

When using a drain pipe, install the drain socket (field supply) on to the drain hole. Seal the other drain hole with the rubber cap.

