







3.2 Dimensional Data

3.2.1 Wall Mounted Type S-2545PK4E


unit :mm



Minimum space requirements for installation





Detailed view B





Detailed view C

①	Refrigerant tubing (liquid tube)	S-2545PK4E : $\phi 6.35$ S-5010PK4E : $\phi 9.52$ ($\phi 6.35$)
②	Refrigerant tubing (gas tube)	S-2545PK4E : $\phi 12.7$ S-5010PK4E : $\phi 15.88$ ($\phi 12.7$)
③	Drain hose	
④	Rear panel	
⑤	Rear panel fixing holes	($\phi 5.0$ holes or as shown in figure "C")
⑥	Tubing and wiring holes ($\phi 70$)	


Outdoor PZ3 and PZH3 series (Type 50 and 60)	Outdoor PZ3 series (Type 71)
Connect the liquid socket tube B ($\phi 6.35$ - $\phi 9.52$) to the liquid tubing side indoor unit  Connect the gas socket tube A ($\phi 12.7$ - $\phi 15.88$) to the gas tubing side indoor unit	 Connect the liquid socket tube B ($\phi 6.35$ - $\phi 9.52$) to the liquid tubing side indoor unit

3.2.2 Wall Mounted Type S-5010PK4E


unit :mm



Minimum space requirements for installation





Detailed view B



Detailed view C

①	Refrigerant tubing (liquid tube) S-2545PK4E : Ø6.35 S-5010PK4E : Ø9.52 (Ø6.35)
②	Refrigerant tubing (gas tube) S-2545PK4E : Ø12.7 S-5010PK4E : Ø15.88 (Ø12.7)
③	Drain hose
④	Rear panel
⑤	Rear panel fixing holes (Ø5.0 holes or as shown in figure "C")
⑥	Tubing and wiring holes (Ø70)





Outdoor PZ3 and PZH3 series (Type 50 and 60)	Outdoor PZ3 series (Type 71)
Connect the liquid socket tube B (Ø6.35 - Ø9.52) to the liquid tubing side indoor unit  Connect the gas socket tube A (Ø12.7 - Ø15.88) to the gas tubing side indoor unit	 Connect the liquid socket tube B (Ø6.35 - Ø9.52) to the liquid tubing side indoor unit

1-2-2. Outdoor Unit

1-2-2-1. PZ3 U-25PZ3E5, U-36PZ3E5, U-50PZ3E5

Unit: mm





①	Mounting hole (4-R6.5), anchor bolt : M10
②	Refrigerant tubing (liquid tube), flared connection (Ø6.35)
③	Refrigerant tubing (gas tube), flared connection (Ø12.7)



1-2-2-1. PZ3 U-60PZ3E5A, U-71PZ3E5A


Unit: mm

①	Mounting hole (4-R6.5), anchor bolt : M10
②	Refrigerant tubing (liquid tube), flared connection (Ø 6.35)
③	Refrigerant tubing (gas tube), flared connection U-60PZ3E5A (Ø12.7) U-71PZ3E5A (Ø15.88)






**1-2-2-1. PZ3 U-100PZ3E5, U-125PZ3E5, U-140PZ3E5
U-100PZ3E8, U-125PZ3E8, U-140PZ3E8**

Unit: mm




①	Mounting hole (4-R6.5), anchor bolt : M10
②	Refrigerant tubing (liquid tube), flared connection (Ø9.52)
③	Refrigerant tubing (gas tube), flared connection (Ø15.88)
④	Refrigerant tubing port
⑤	Electrical wiring port (Ø13)
⑥	Electrical wiring port (Ø22)
⑦	Electrical wiring port (Ø27)
⑧	Electrical wiring port (Ø35)

When using a drain pipe, install the drain socket (field supply) on to the drain hole. Seal the other drain hole with the rubber cap.



A VIEW



Z VIEW